

# National, Provincial and District Profiles

Naomi Massyn

## 15 South Africa

In 2016, South Africa had an estimated population of more than 55.1 million, with a population density of 45.2 people per km<sup>2</sup> and estimated medical scheme coverage of 15.8%.

The national headcount and death figures for 2014/15 to 2016/17 are shown in Table 1.

**Table 1: Headcounts and deaths, 2014/15 – 2016/17**

Data element	2014/15	2015/16	2016/17
PHC headcount 5 years and older	107 076 144	104 272 419	103 343 013
PHC headcount under 5 years	22 419 435	22 101 951	22 290 314
Patient day equivalent	32 300 329	32 260 993	32 012 710
Deaths in facility	189 057	190 394	185 291
Live birth in facility	958 147	901 663	879 638
Still births in facility	20 262	19 364	18 119
Death in facility 0–7 days	9 806	9 480	8 736
Death in facility 8–28 days	2 481	2 319	2 147
Death in facility 29 days – 11 months	5 034	3 795	3 224
Death in facility 12 – 59 months	3 596	2 757	2 441
Maternal deaths in facility	1 239	1 074	1 028
Diarrhoea death under 5 years	1 514	1 050	886
Pneumonia death under 5 years	1 411	1 240	1 003
Severe acute malnutrition death under 5 years	1 851	1 379	1 188

The national and provincial averages for the period 2011–2016 are listed in Tables 2 and 3. Some indicators are reported for calendar years (such as TB death rate) while others are for years 2011/12–2016/17 (such as average length of stay).

**Section B: National, Provincial and District Profiles**
**Table 2: SA averages**

Category	Indicator	2011	2012	2013	2014	2015	2016
<b>Finance</b>	Provincial and LG District Health Services expenditure per capita (uninsured)	1 504	1 573	1 578	1 657	1 678	1 726
	Provincial and LG PHC expenditure per capita (uninsured)	865	927	934	986	1 016	1 054
	Provincial and LG PHC expenditure per PHC headcount	296	317	323	344	367	389
<b>PHC Management</b>	Percentage Ideal clinics	-	-	-	-	9.2	29.8
	Percentage of assessed PHC facilities with 90% of tracer medicines available	-	-	-	-	-	78.4
<b>Management Inpatients</b>	Average length of stay (district hospitals)	4.3	4.2	4.7	4.6	4.5	4.4
	Inpatient crude death rate	5.1	5.8	5.4	5.2	5.0	4.9
	Expenditure per patient day equivalent (district hospitals)	2 152	2 251	2 301	2 389	2 463	2 568
	OPD new client not referred rate (district hospitals)	64.6	64.1	61.5	60.7	58.3	59.3
	Inpatient bed utilisation rate (district hospitals)	67.2	67.3	66.3	65.8	65.3	63.9
<b>Delivery</b>	Delivery in facility under 18 years rate	8.1	7.7	7.8	7.4	7.1	6.8
	Inpatient early neonatal death rate	10.2	10.2	10.1	10.1	10.5	9.9
	Maternal mortality in facility ratio	144.9	132.9	133.3	132.5	119.1	116.9
	Mother postnatal visit within 6 days rate	56.4	65.2	73.0	74.3	68.5	70.3
<b>PMTCT</b>	Antenatal 1st visit before 20 weeks rate	40.2	44.0	50.0	53.9	61.2	65.2
	Antenatal client initiated on ART rate	80.4	81.6	76.3	91.2	93.0	95.1
	Infant PCR test positive around 10 weeks rate	-	-	-	-	-	1.3
<b>Child Health</b>	Child under 5 years diarrhoea case fatality rate	4.6	4.3	3.9	3.3	2.2	2.0
	Child under 5 years pneumonia case fatality rate	4.2	3.8	3.5	2.9	2.3	2.0
	Child under 5 years severe acute malnutrition case fatality rate	13.3	12.7	11.3	11.6	8.9	8.0
	Infant exclusively breastfed at DTaP-IPV-Hib-HBV 3rd dose rate	-	-	-	45.0	33.7	41.6
<b>School Health</b>	School Grade 1 screening coverage	-	-	17.2	23.2	28.9	33.0
	School Grade 8 screening coverage	-	-	-	-	-	19.8
<b>Immunisation</b>	Immunisation coverage under 1 year	83.9	83.6	84.4	89.8	89.2	82.3
	Measles 2nd dose coverage	85.4	74.9	75.0	82.8	84.8	96.2
<b>Reproductive Health</b>	Cervical cancer screening coverage	50.2	50.3	54.1	54.5	56.6	61.5
	Couple year protection rate (WHO)	-	-	-	63.4	66.7	70.2
<b>TB Case finding</b>	TB Rifampicin resistance confirmed client rate	7.1	7.1	6.6	6.4	6.1	6.2
	TB client initiated on treatment rate	-	-	-	-	-	72.8
	TB Rifampicin resistant clients treatment initiation rate	-	-	-	-	-	68.0
	TB symptom 5 years and older screened in facility rate	-	-	-	-	3.9	51.6
<b>TB/HIV</b>	TB/HIV co-infected client on ART rate (ETR.Net)	28.0	60.6	72.0	85.8	90.8	88.3
<b>TB treatment outcomes</b>	TB client lost to follow up rate	6.7	6.6	6.3	6.0	6.4	-
	TB death rate	8.6	8.4	7.4	6.7	6.6	-
	TB client treatment success rate	75.4	76.1	77.9	77.2	81.0	-
<b>TBDR treatment outcomes</b>	TB DR client death rate (EDRWeb)	-	-	23.2	23.0	-	-
	TB DR client loss to follow up rate (EDRWeb)	-	-	21.6	17.9	-	-
	TB DR treatment success rate (EDRWeb)	-	-	47.2	50.5	-	-
<b>HIV</b>	HIV testing coverage (including ANC)	-	-	26.1	32.1	34.5	35.9
	Male condom distribution coverage	15.7	21.8	27.9	38.4	44.4	47.5
<b>NCDs</b>	Diabetes incidence	-	-	2.0	1.4	1.7	2.5
	Hypertension incidence	22.3	16.9	16.6	13.9	16.8	18.9
<b>Burden of disease</b>	Percentage of YLLs due to non-communicable diseases	25.2	22.9	21.9	21.2	-	-
	Percentage of deaths garbage codes	14.4	14.6	14.7	14.6	-	-
	Percentage of YLLs due to HIV and TB	29.0	29.0	27.8	27.0	-	-
	Percentage of deaths ill-defined	14.9	14.9	14.0	13.8	-	-
	Percentage of YLLs due to injuries	11.4	12.5	13.3	13.6	-	-
	Percentage of YLLs due to non-communicable diseases	34.5	35.6	36.9	38.2	-	-

**Table 3: Provincial pages**  
**Eastern Cape**

Category	Indicator	2011	2012	2013	2014	2015	2016
<b>Finance</b>	Provincial and LG District Health Services expenditure per capita (uninsured)	1 637	1 713	1 705	1 685	1 671	1 733
	Provincial and LG PHC expenditure per capita (uninsured)	841	937	902	912	873	932
	Provincial and LG PHC expenditure per PHC headcount	274	316	311	307	291	314
<b>PHC Management</b>	Percentage Ideal clinics	-	-	-	-	1.8	18.0
	Percentage of assessed PHC facilities with 90% of tracer medicines available	4.2	4.0	4.0	4.1	4.1	4.1
<b>Management Inpatients</b>	Average length of stay (district hospitals)	5.0	5.0	5.3	5.3	5.1	5.0
	Inpatient crude death rate	6.2	7.4	6.7	6.3	6.3	6.0
	Expenditure per patient day equivalent (district hospitals)	2 122	2 146	2 263	2 243	2 335	2 392
	OPD new client not referred rate (district hospitals)	65.7	67.4	65.8	64.3	63.8	63.3
	Inpatient bed utilisation rate (district hospitals)	64.7	62.1	59.5	59.0	57.2	56.0
<b>Delivery</b>	Delivery in facility under 18 years rate	10.6	10.3	10.1	9.6	9.0	8.6
	Inpatient early neonatal death rate	14.5	16.4	14.1	13.3	12.8	10.8
	Maternal mortality in facility ratio	114.9	109.5	156.2	148.3	135.2	135.0
	Mother postnatal visit within 6 days rate	48.5	55.5	54.6	58.0	58.2	59.7
<b>PMTCT</b>	Antenatal 1st visit before 20 weeks rate	33.6	39.6	43.3	48.8	59.7	63.8
	Antenatal client initiated on ART rate	70.4	80.5	79.0	91.7	93.9	93.3
	Infant PCR test positive around 10 weeks rate	-	-	-	-	-	1.6
<b>Child Health</b>	Child under 5 years diarrhoea case fatality rate	7.4	6.6	6.9	5.2	3.6	3.7
	Child under 5 years pneumonia case fatality rate	4.9	4.4	5.7	4.2	3.7	3.0
	Child under 5 years severe acute malnutrition case fatality rate	17.7	15.2	14.0	11.8	10.1	10.2
	Infant exclusively breastfed at DTaP-IPV-Hib-HBV 3rd dose rate	-	-	-	41.6	29.4	32.8
<b>School Health</b>	School Grade 1 screening coverage	-	-	17.1	13.4	19.0	17.2
	School Grade 8 screening coverage	-	-	-	-	-	13.8
<b>Immunisation</b>	Immunisation coverage under 1 year	71.7	72.3	72.3	80.9	86.8	78.6
	Measles 2nd dose coverage	80.0	65.6	67.6	73.6	81.1	91.6
<b>Reproductive Health</b>	Cervical cancer screening coverage	36.9	37.6	46.0	56.3	57.4	60.9
	Couple year protection rate (WHO)	-	-	-	54.4	74.5	77.0
<b>TB Case finding</b>	TB Rifampicin resistance confirmed client rate	7.6	6.9	6.2	6.0	5.7	6.2
	TB client initiated on treatment rate	-	-	-	-	-	66.3
	TB Rifampicin resistant clients treatment initiation rate	-	-	-	-	-	62.2
	TB symptom 5 years and older screened in facility rate	-	-	-	-	-	38.1
<b>TB/HIV</b>	TB/HIV co-infected client on ART rate (ETR.Net)	27.1	66.9	87.5	91.7	97.5	97.1
<b>TB treatment outcomes</b>	TB client lost to follow up rate	8.2	8.6	7.6	6.1	6.2	-
	TB death rate	10.8	10.8	9.3	7.6	6.7	-
	TB client treatment success rate	72.5	71.9	77.0	76.2	82.5	-
<b>TBDR treatment outcomes</b>	TB DR client death rate (EDRWeb)	-	-	37.1	33.1	-	-
	TB DR client loss to follow up rate (EDRWeb)	-	-	16.5	12.5	-	-
	TB DR treatment success rate (EDRWeb)	-	-	33.9	44.3	-	-
<b>HIV</b>	HIV testing coverage (including ANC)	-	-	30.5	36.0	37.3	39.8
	Male condom distribution coverage	15.8	16.6	17.6	33.6	54.0	57.1
<b>NCDs</b>	Diabetes incidence	-	-	2.0	1.6	1.8	2.5
	Hypertension incidence	25.1	19.5	18.2	15.7	19.6	21.8
<b>Burden of disease</b>	Percentage of YLLs due to non-communicable diseases	18.9	16.7	16.1	15.8	-	-
	Percentage of deaths garbage codes	13.1	13.4	13.5	12.8	-	-
	Percentage of YLLs due to HIV and TB	33.3	33.6	32.6	31.2	-	-
	Percentage of deaths ill-defined	21.7	22.3	21.0	20.3	-	-
	Percentage of YLLs due to injuries	12.4	13.2	14.2	14.5	-	-
	Percentage of YLLs due to non-communicable diseases	35.3	36.5	37.0	38.5	-	-

**Section B: National, Provincial and District Profiles**
**Free State**

Category	Indicator	2011	2012	2013	2014	2015	2016
<b>Finance</b>	Provincial and LG District Health Services expenditure per capita (uninsured)	1 458	1 534	1 520	1 595	1 639	1 665
	Provincial and LG PHC expenditure per capita (uninsured)	899	942	937	975	1 032	1 046
	Provincial and LG PHC expenditure per PHC headcount	295	297	322	340	375	403
<b>PHC Management</b>	Percentage Ideal clinics	-	-	-	-	10.0	34.8
	Percentage of assessed PHC facilities with 90% of tracer medicines available	4.4	4.4	4.3	4.2	4.1	4.1
<b>Management Inpatients</b>	Average length of stay (district hospitals)	3.2	3.1	3.9	3.2	3.3	3.3
	Inpatient crude death rate	5.8	6.2	6.4	6.1	5.8	5.8
	Expenditure per patient day equivalent (district hospitals)	2 143	2 114	2 244	2 420	2 433	2 538
	OPD new client not referred rate (district hospitals)	63.5	60.0	67.4	71.2	68.1	71.2
	Inpatient bed utilisation rate (district hospitals)	66.5	68.2	65.1	60.0	61.4	60.7
<b>Delivery</b>	Delivery in facility under 18 years rate	7.7	7.3	7.1	7.1	6.5	5.9
	Inpatient early neonatal death rate	11.7	10.8	12.3	10.5	10.6	11.4
	Maternal mortality in facility ratio	199.1	132.7	143.4	217.8	130.2	152.8
	Mother postnatal visit within 6 days rate	82.0	82.3	83.9	80.8	71.2	71.2
<b>PMTCT</b>	Antenatal 1st visit before 20 weeks rate	47.1	53.5	56.8	58.6	62.9	65.8
	Antenatal client initiated on ART rate	68.4	82.1	80.8	88.7	86.8	94.2
	Infant PCR test positive around 10 weeks rate	-	-	-	-	-	1.3
<b>Child Health</b>	Child under 5 years diarrhoea case fatality rate	5.8	3.6	4.5	4.1	2.8	2.8
	Child under 5 years pneumonia case fatality rate	9.0	3.5	3.1	3.1	2.4	3.2
	Child under 5 years severe acute malnutrition case fatality rate	13.3	8.8	11.9	12.2	8.1	9.6
	Infant exclusively breastfed at DTaP-IPV-Hib-HBV 3rd dose rate	-	-	-	83.1	38.3	46.2
<b>School Health</b>	School Grade 1 screening coverage	-	-	21.0	24.4	24.8	33.1
	School Grade 8 screening coverage	-	-	-	-	-	30.3
<b>Immunisation</b>	Immunisation coverage under 1 year	96.6	96.2	86.6	90.1	86.2	84.2
	Measles 2nd dose coverage	82.4	85.8	80.0	81.3	92.3	105.8
<b>Reproductive Health</b>	Cervical cancer screening coverage	43.6	50.3	51.1	40.9	58.1	54.2
	Couple year protection rate (WHO)	-	-	-	58.1	79.4	66.8
<b>TB Case finding</b>	TB Rifampicin resistance confirmed client rate	5.8	6.2	5.7	5.6	5.5	5.2
	TB client initiated on treatment rate	-	-	-	-	-	88.7
	TB Rifampicin resistant clients treatment initiation rate	-	-	-	-	-	74.4
	TB symptom 5 years and older screened in facility rate	-	-	-	-	-	53.0
<b>TB/HIV</b>	TB/HIV co-infected client on ART rate (ETR.Net)	49.8	78.8	78.4	85.9	89.2	89.7
<b>TB treatment outcomes</b>	TB client lost to follow up rate	5.3	5.9	5.6	6.1	5.6	-
	TB death rate	12.8	12.6	11.1	10.7	10.5	-
	TB client treatment success rate	73.3	73.2	76.8	78.0	80.1	-
<b>TBDR treatment outcomes</b>	TB DR client death rate (EDRWeb)	-	-	24.8	25.3	-	-
	TB DR client loss to follow up rate (EDRWeb)	-	-	25.5	23.5	-	-
	TB DR treatment success rate (EDRWeb)	-	-	41.7	45.8	-	-
<b>HIV</b>	HIV testing coverage (including ANC)	-	-	31.8	26.2	31.6	26.8
	Male condom distribution coverage	13.0	20.1	18.5	34.1	54.0	42.5
<b>NCDs</b>	Diabetes incidence	-	-	1.7	1.1	1.1	2.4
	Hypertension incidence	15.3	16.2	18.0	12.8	17.0	26.4
<b>Burden of disease</b>	Percentage of YLLs due to non-communicable diseases	33.3	26.6	25.3	23.6	-	-
	Percentage of deaths garbage codes	14.1	14.5	14.3	13.6	-	-
	Percentage of YLLs due to HIV and TB	25.5	27.3	26.0	27.1	-	-
	Percentage of deaths ill-defined	15.1	13.4	13.0	12.3	-	-
	Percentage of YLLs due to injuries	9.5	11.3	12.1	12.1	-	-
	Percentage of YLLs due to non-communicable diseases	31.8	34.9	36.6	37.2	-	-

## Gauteng

Category	Indicator	2011	2012	2013	2014	2015	2016
<b>Finance</b>	Provincial and LG District Health Services expenditure per capita (uninsured)	1 199	1 341	1 243	1 327	1 398	1 414
	Provincial and LG PHC expenditure per capita (uninsured)	906	1 038	981	1 040	1 098	1 106
	Provincial and LG PHC expenditure per PHC headcount	367	415	391	422	489	503
<b>PHC Management</b>	Percentage Ideal clinics	-	-	-	-	24.3	58.1
	Percentage of assessed PHC facilities with 90% of tracer medicines available	4.0	4.1	4.0	4.1	4.0	4.1
<b>Management Inpatients</b>	Average length of stay (district hospitals)	3.5	3.2	4.5	4.3	4.4	4.4
	Inpatient crude death rate	4.7	5.7	5.4	5.4	4.7	4.6
	Expenditure per patient day equivalent (district hospitals)	2 526	2 609	2 529	2 913	2 797	2 902
	OPD new client not referred rate (district hospitals)	71.5	53.2	49.2	46.9	52.3	52.5
	Inpatient bed utilisation rate (district hospitals)	65.2	66.3	67.8	60.7	65.8	65.1
<b>Delivery</b>	Delivery in facility under 18 years rate	5.6	4.8	5.7	4.8	5.0	4.7
	Inpatient early neonatal death rate	9.7	8.8	9.3	9.7	9.5	10.0
	Maternal mortality in facility ratio	123.3	116.5	104.5	112.6	107.6	119.2
	Mother postnatal visit within 6 days rate	72.0	85.1	86.5	85.5	76.9	85.9
<b>PMTCT</b>	Antenatal 1st visit before 20 weeks rate	34.6	37.8	43.7	48.4	54.9	58.4
	Antenatal client initiated on ART rate	80.5	83.0	63.1	87.4	92.4	94.8
	Infant PCR test positive around 10 weeks rate	-	-	-	-	-	1.7
<b>Child Health</b>	Child under 5 years diarrhoea case fatality rate	4.5	3.3	3.5	2.9	1.8	1.7
	Child under 5 years pneumonia case fatality rate	3.6	2.3	2.5	2.1	1.9	1.5
	Child under 5 years severe acute malnutrition case fatality rate	12.5	12.1	6.1	9.3	7.5	6.5
	Infant exclusively breastfed at DTaP-IPV-Hib-HBV 3rd dose rate	-	-	-	25.9	29.3	44.0
<b>School Health</b>	School Grade 1 screening coverage	-	-	32.9	31.1	37.8	49.5
	School Grade 8 screening coverage	-	-	-	-	-	35.4
<b>Immunisation</b>	Immunisation coverage under 1 year	106.5	102.6	109.0	107.7	106.4	96.7
	Measles 2nd dose coverage	91.3	86.8	85.1	94.9	92.0	105.7
<b>Reproductive Health</b>	Cervical cancer screening coverage	38.2	37.4	41.8	43.6	45.1	50.3
	Couple year protection rate (WHO)	-	-	-	49.6	59.6	58.1
<b>TB Case finding</b>	TB Rifampicin resistance confirmed client rate	6.1	6.8	6.5	5.7	5.9	5.7
	TB client initiated on treatment rate	-	-	-	-	-	80.0
	TB Rifampicin resistant clients treatment initiation rate	-	-	-	-	-	55.6
	TB symptom 5 years and older screened in facility rate	-	-	-	-	-	71.9
<b>TB/HIV</b>	TB/HIV co-infected client on ART rate (ETR.Net)	34.1	65.5	75.4	88.7	93.3	90.3
<b>TB treatment outcomes</b>	TB client lost to follow up rate	5.5	5.6	6.3	5.8	5.9	-
	TB death rate	6.9	6.9	6.3	6.2	6.3	-
	TB client treatment success rate	80.7	81.8	82.6	83.4	84.9	-
<b>TBDR treatment outcomes</b>	TB DR client death rate (EDRWeb)	-	-	22.2	20.2	-	-
	TB DR client loss to follow up rate (EDRWeb)	-	-	26.8	15.9	-	-
	TB DR treatment success rate (EDRWeb)	-	-	41.1	55.6	-	-
<b>HIV</b>	HIV testing coverage (including ANC)	-	-	15.5	23.3	32.6	29.7
	Male condom distribution coverage	7.2	9.3	14.2	25.8	37.9	36.6
<b>NCDs</b>	Diabetes incidence	-	-	2.5	0.9	1.5	3.2
	Hypertension incidence	23.6	16.8	15.6	13.1	19.1	19.8
<b>Burden of disease</b>	Percentage of YLLs due to non-communicable diseases	25.9	23.3	22.5	22.3	-	-
	Percentage of deaths garbage codes	17.8	17.9	17.7	18.1	-	-
	Percentage of YLLs due to HIV and TB	24.0	25.5	24.1	22.7	-	-
	Percentage of deaths ill-defined	14.9	14.7	15.1	14.6	-	-
	Percentage of YLLs due to injuries	11.7	12.2	13.0	13.1	-	-
	Percentage of YLLs due to non-communicable diseases	38.4	39.0	40.4	42.0	-	-

**Section B: National, Provincial and District Profiles**
**KwaZulu-Natal**

Category	Indicator	2011	2012	2013	2014	2015	2016
<b>Finance</b>	Provincial and LG District Health Services expenditure per capita (uninsured)	1 601	1 650	1 706	1 788	1 802	1 879
	Provincial and LG PHC expenditure per capita (uninsured)	886	943	991	1 079	1 135	1 213
	Provincial and LG PHC expenditure per PHC headcount	275	278	288	323	348	397
<b>PHC Management</b>	Percentage Ideal clinics	-	-	-	-	23.5	47.8
	Percentage of assessed PHC facilities with 90% of tracer medicines available	4.3	4.4	4.4	4.4	4.5	4.3
<b>Management Inpatients</b>	Average length of stay (district hospitals)	5.8	5.6	5.8	5.8	5.7	5.4
	Inpatient crude death rate	5.5	5.8	5.3	5.1	5.2	5.4
	Expenditure per patient day equivalent (district hospitals)	1 904	2 150	2 230	2 241	2 360	2 566
	OPD new client not referred rate (district hospitals)	49.3	52.2	52.7	53.0	47.7	49.4
	Inpatient bed utilisation rate (district hospitals)	63.7	63.2	64.6	62.8	60.2	56.2
<b>Delivery</b>	Delivery in facility under 18 years rate	9.3	9.3	9.3	8.9	8.7	8.5
	Inpatient early neonatal death rate	9.2	8.7	10.4	10.3	10.8	9.7
	Maternal mortality in facility ratio	192.2	165.5	148.4	124.9	121.1	106.7
	Mother postnatal visit within 6 days rate	57.3	69.4	72.2	66.4	69.8	66.8
<b>PMTCT</b>	Antenatal 1st visit before 20 weeks rate	41.0	46.4	56.2	57.3	64.8	70.2
	Antenatal client initiated on ART rate	93.6	83.2	85.4	95.2	97.6	97.2
	Infant PCR test positive around 10 weeks rate	-	-	-	-	-	1.0
<b>Child Health</b>	Child under 5 years diarrhoea case fatality rate	4.3	4.3	3.3	3.0	2.2	2.0
	Child under 5 years pneumonia case fatality rate	3.7	2.6	3.2	2.7	2.7	1.8
	Child under 5 years severe acute malnutrition case fatality rate	9.2	11.0	9.7	10.4	7.7	7.4
	Infant exclusively breastfed at DTaP-IPV-Hib-HBV 3rd dose rate	-	-	-	50.0	41.7	53.9
<b>School Health</b>	School Grade 1 screening coverage	-	-	9.4	20.7	22.1	26.2
	School Grade 8 screening coverage	-	-	-	-	-	16.4
<b>Immunisation</b>	Immunisation coverage under 1 year	87.5	85.6	85.8	89.9	85.0	85.8
	Measles 2nd dose coverage	90.5	78.1	77.0	86.3	82.6	99.8
<b>Reproductive Health</b>	Cervical cancer screening coverage	73.9	78.2	75.3	70.3	72.7	85.6
	Couple year protection rate (WHO)	-	-	-	83.8	73.3	74.8
<b>TB Case finding</b>	TB Rifampicin resistance confirmed client rate	7.9	8.9	8.9	8.3	7.8	7.7
	TB client initiated on treatment rate	-	-	-	-	-	62.4
	TB Rifampicin resistant clients treatment initiation rate	-	-	-	-	-	73.8
	TB symptom 5 years and older screened in facility rate	-	-	-	-	16.0	78.3
<b>TB/HIV</b>	TB/HIV co-infected client on ART rate (ETR.Net)	17.5	50.4	66.1	81.5	87.4	85.7
<b>TB treatment outcomes</b>	TB client lost to follow up rate	6.3	5.3	4.9	4.4	4.8	-
	TB death rate	7.5	7.0	6.4	5.4	5.4	-
	TB client treatment success rate	75.9	78.4	81.8	73.8	82.7	-
<b>TBDR treatment outcomes</b>	TB DR client death rate (EDRWeb)	-	-	18.3	19.0	-	-
	TB DR client loss to follow up rate (EDRWeb)	-	-	19.3	17.2	-	-
	TB DR treatment success rate (EDRWeb)	-	-	57.3	59.6	-	-
<b>HIV</b>	HIV testing coverage (including ANC)	-	-	37.5	39.0	36.0	42.5
	Male condom distribution coverage	12.1	28.3	41.2	58.9	54.6	53.9
<b>NCDs</b>	Diabetes incidence	-	-	1.8	1.6	2.2	2.8
	Hypertension incidence	29.6	22.4	21.9	19.1	18.6	21.7
<b>Burden of disease</b>	Percentage of YLLs due to non-communicable diseases	23.1	21.4	20.2	19.9	-	-
	Percentage of deaths garbage codes	15.3	15.5	15.6	15.3	-	-
	Percentage of YLLs due to HIV and TB	35.3	34.5	33.2	32.3	-	-
	Percentage of deaths ill-defined	11.8	12.6	11.3	10.0	-	-
	Percentage of YLLs due to injuries	10.9	12.0	13.3	13.1	-	-
	Percentage of YLLs due to non-communicable diseases	30.7	32.1	33.3	34.7	-	-

## Limpopo

Category	Indicator	2011	2012	2013	2014	2015	2016
<b>Finance</b>	Provincial and LG District Health Services expenditure per capita (uninsured)	1 703	1 774	1 801	2 008	1 986	2 082
	Provincial and LG PHC expenditure per capita (uninsured)	743	775	777	832	857	866
	Provincial and LG PHC expenditure per PHC headcount	253	274	279	301	313	301
<b>PHC Management</b>	Percentage Ideal clinics	-	-	-	-	5.7	10.6
	Percentage of assessed PHC facilities with 90% of tracer medicines available	5.5	5.1	5.2	5.0	5.0	5.4
<b>Management Inpatients</b>	Average length of stay (district hospitals)	4.5	4.3	4.5	4.2	4.3	4.3
	Inpatient crude death rate	5.7	5.9	5.7	5.6	5.4	5.1
	Expenditure per patient day equivalent (district hospitals)	2 379	2 560	2 649	2 808	2 939	2 993
	OPD new client not referred rate (district hospitals)	80.4	78.8	78.6	75.2	73.8	75.3
	Inpatient bed utilisation rate (district hospitals)	72.4	72.2	64.2	69.1	70.4	69.6
<b>Delivery</b>	Delivery in facility under 18 years rate	8.1	7.8	7.9	7.5	7.1	6.3
	Inpatient early neonatal death rate	11.0	11.5	11.7	11.6	12.6	10.6
	Maternal mortality in facility ratio	184.6	177.9	152.0	165.2	140.2	130.2
	Mother postnatal visit within 6 days rate	65.2	73.0	72.3	72.4	66.8	70.9
<b>PMTCT</b>	Antenatal 1st visit before 20 weeks rate	41.3	42.0	45.8	50.7	60.7	65.7
	Antenatal client initiated on ART rate	73.1	69.4	78.6	92.9	92.8	95.2
	Infant PCR test positive around 10 weeks rate	-	-	-	-	-	1.2
<b>Child Health</b>	Child under 5 years diarrhoea case fatality rate	8.1	7.8	5.2	4.7	3.0	2.1
	Child under 5 years pneumonia case fatality rate	5.5	4.8	4.7	4.2	3.1	2.9
	Child under 5 years severe acute malnutrition case fatality rate	18.7	18.5	15.3	14.9	11.6	8.3
	Infant exclusively breastfed at DTaP-IPV-Hib-HBV 3rd dose rate	-	-	-	56.8	30.0	28.9
<b>School Health</b>	School Grade 1 screening coverage	-	-	22.0	22.2	29.5	31.9
	School Grade 8 screening coverage	-	-	-	-	-	16.5
<b>Immunisation</b>	Immunisation coverage under 1 year	74.7	71.1	70.3	82.2	79.2	64.5
	Measles 2nd dose coverage	94.2	72.4	73.5	83.3	87.9	94.5
<b>Reproductive Health</b>	Cervical cancer screening coverage	54.3	50.7	55.5	47.9	50.1	55.7
	Couple year protection rate (WHO)	-	-	-	61.8	69.2	85.5
<b>TB Case finding</b>	TB Rifampicin resistance confirmed client rate	7.5	6.6	4.9	4.9	5.2	5.3
	TB client initiated on treatment rate	-	-	-	-	-	96.7
	TB Rifampicin resistant clients treatment initiation rate	-	-	-	-	-	60.4
	TB symptom 5 years and older screened in facility rate	-	-	-	-	-	56.1
<b>TB/HIV</b>	TB/HIV co-infected client on ART rate (ETR.Net)	31.4	53.2	59.7	82.8	90.7	90.6
<b>TB treatment outcomes</b>	TB client lost to follow up rate	5.1	5.1	4.2	5.0	6.1	-
	TB death rate	13.2	13.4	11.0	11.2	11.9	-
	TB client treatment success rate	65.7	64.5	57.6	71.8	76.1	-
<b>TBDR treatment outcomes</b>	TB DR client death rate (EDRWeb)	-	-	12.4	16.4	-	-
	TB DR client loss to follow up rate (EDRWeb)	-	-	29.3	17.8	-	-
	TB DR treatment success rate (EDRWeb)	-	-	53.0	58.4	-	-
<b>HIV</b>	HIV testing coverage (including ANC)	-	-	37.0	40.8	39.1	50.2
	Male condom distribution coverage	19.3	20.5	27.7	38.2	51.2	68.4
<b>NCDs</b>	Diabetes incidence	-	-	2.7	2.6	2.5	2.0
	Hypertension incidence	16.8	10.3	17.0	14.3	18.3	16.5
<b>Burden of disease</b>	Percentage of YLLs due to non-communicable diseases	35.5	34.4	32.4	30.4	-	-
	Percentage of deaths garbage codes	9.9	9.4	11.1	11.5	-	-
	Percentage of YLLs due to HIV and TB	24.7	26.3	24.7	25.1	-	-
	Percentage of deaths ill-defined	19.2	19.8	16.8	16.5	-	-
	Percentage of YLLs due to injuries	9.8	9.5	10.2	10.5	-	-
	Percentage of YLLs due to non-communicable diseases	29.9	29.8	32.7	34.0	-	-

**Section B: National, Provincial and District Profiles**
**Mpumalanga**

Category	Indicator	2011	2012	2013	2014	2015	2016
<b>Finance</b>	Provincial and LG District Health Services expenditure per capita (uninsured)	1 537	1 582	1 623	1 708	1 767	1 769
	Provincial and LG PHC expenditure per capita (uninsured)	682	721	787	827	869	892
	Provincial and LG PHC expenditure per PHC headcount	272	281	308	316	343	351
<b>PHC Management</b>	Percentage Ideal clinics	-	-	-	-	6.6	22.9
	Percentage of assessed PHC facilities with 90% of tracer medicines available	4.2	4.1	4.2	4.3	4.1	4.3
<b>Management Inpatients</b>	Average length of stay (district hospitals)	4.2	4.1	4.3	4.3	4.5	4.8
	Inpatient crude death rate	6.2	6.2	5.8	5.6	5.5	5.2
	Expenditure per patient day equivalent (district hospitals)	2 286	2 163	2 083	2 244	2 296	2 336
	OPD new client not referred rate (district hospitals)	72.4	67.6	65.2	67.0	66.0	64.1
	Inpatient bed utilisation rate (district hospitals)	68.9	69.9	70.5	71.0	71.4	75.3
<b>Delivery</b>	Delivery in facility under 18 years rate	9.5	8.9	9.1	9.1	8.6	7.7
	Inpatient early neonatal death rate	9.8	9.5	8.6	7.9	9.3	9.5
	Maternal mortality in facility ratio	135.0	175.8	149.1	115.4	125.3	129.6
	Mother postnatal visit within 6 days rate	51.9	61.6	53.9	59.7	62.6	60.2
<b>PMTCT</b>	Antenatal 1st visit before 20 weeks rate	37.5	42.2	49.0	56.6	65.9	71.7
	Antenatal client initiated on ART rate	66.5	81.1	74.2	92.9	95.9	94.9
	Infant PCR test positive around 10 weeks rate	-	-	-	-	-	1.7
<b>Child Health</b>	Child under 5 years diarrhoea case fatality rate	8.2	7.5	4.9	5.3	2.7	1.5
	Child under 5 years pneumonia case fatality rate	7.8	5.3	5.7	5.2	3.7	3.4
	Child under 5 years severe acute malnutrition case fatality rate	27.3	13.1	12.8	19.1	12.5	8.4
	Infant exclusively breastfed at DTaP-IPV-Hib-HBV 3rd dose rate	-	-	-	55.9	37.3	35.3
<b>School Health</b>	School Grade 1 screening coverage	-	-	14.9	12.4	13.3	21.1
	School Grade 8 screening coverage	-	-	-	-	-	6.8
<b>Immunisation</b>	Immunisation coverage under 1 year	58.9	67.8	71.1	80.1	87.2	79.7
	Measles 2nd dose coverage	76.2	67.0	69.6	74.6	78.7	86.4
<b>Reproductive Health</b>	Cervical cancer screening coverage	50.6	48.5	54.9	63.3	66.7	66.5
	Couple year protection rate (WHO)	-	-	-	53.7	52.4	72.3
<b>TB Case finding</b>	TB Rifampicin resistance confirmed client rate	7.9	11.2	9.5	8.6	7.8	7.8
	TB client initiated on treatment rate	-	-	-	-	-	87.3
	TB Rifampicin resistant clients treatment initiation rate	-	-	-	-	-	70.3
	TB symptom 5 years and older screened in facility rate	-	-	-	-	-	39.8
<b>TB/HIV</b>	TB/HIV co-infected client on ART rate (ETR.Net)	23.1	60.4	61.8	92.9	93.7	94.4
<b>TB treatment outcomes</b>	TB client lost to follow up rate	6.0	5.6	5.0	4.5	6.2	-
	TB death rate	8.6	8.3	7.5	6.6	7.6	-
	TB client treatment success rate	75.6	74.4	76.1	84.0	81.4	-
<b>TBDR treatment outcomes</b>	TB DR client death rate (EDRWeb)	-	-	30.7	27.1	-	-
	TB DR client loss to follow up rate (EDRWeb)	-	-	17.0	13.7	-	-
	TB DR treatment success rate (EDRWeb)	-	-	45.2	41.9	-	-
<b>HIV</b>	HIV testing coverage (including ANC)	-	-	27.8	30.0	32.4	33.9
	Male condom distribution coverage	17.8	19.6	29.2	34.3	33.0	52.7
<b>NCDs</b>	Diabetes incidence	-	-	1.7	1.4	1.7	3.1
	Hypertension incidence	20.3	18.1	17.3	12.9	17.4	26.2
<b>Burden of disease</b>	Percentage of YLLs due to non-communicable diseases	29.6	28.1	26.3	24.1	-	-
	Percentage of deaths garbage codes	14.8	15.8	15.6	15.6	-	-
	Percentage of YLLs due to HIV and TB	31.3	31.2	31.5	32.1	-	-
	Percentage of deaths ill-defined	9.4	9.2	9.6	10.7	-	-
	Percentage of YLLs due to injuries	10.5	11.4	12.7	12.9	-	-
	Percentage of YLLs due to non-communicable diseases	28.5	29.3	29.5	31.0	-	-



## Northern Cape

Category	Indicator	2011	2012	2013	2014	2015	2016
<b>Finance</b>	Provincial and LG District Health Services expenditure per capita (uninsured)	1 806	1 698	1 804	1 873	1 826	1 933
	Provincial and LG PHC expenditure per capita (uninsured)	1 098	1 078	1 185	1 188	1 132	1 182
	Provincial and LG PHC expenditure per PHC headcount	316	307	339	355	378	398
<b>PHC Management</b>	Percentage Ideal clinics	-	-	-	-	1.8	41.1
	Percentage of assessed PHC facilities with 90% of tracer medicines available	4.4	4.6	4.6	4.5	4.3	4.5
<b>Management Inpatients</b>	Average length of stay (district hospitals)	2.3	2.4	3.2	3.5	3.3	3.4
	Inpatient crude death rate	4.3	5.3	5.5	5.0	5.1	5.2
	Expenditure per patient day equivalent (district hospitals)	2 373	2 300	2 233	2 399	2 326	2 503
	OPD new client not referred rate (district hospitals)	70.1	68.7	69.0	68.7	69.8	67.8
	Inpatient bed utilisation rate (district hospitals)	58.6	62.5	64.8	62.4	61.4	58.4
<b>Delivery</b>	Delivery in facility under 18 years rate	10.1	10.2	10.2	9.6	9.3	9.5
	Inpatient early neonatal death rate	13.0	11.7	12.8	14.6	14.3	13.4
	Maternal mortality in facility ratio	147.7	144.6	118.9	254.1	112.5	95.3
	Mother postnatal visit within 6 days rate	42.7	51.7	51.2	56.5	53.0	58.9
<b>PMTCT</b>	Antenatal 1st visit before 20 weeks rate	52.9	52.9	55.5	57.6	62.4	64.7
	Antenatal client initiated on ART rate	55.3	83.1	80.3	89.8	92.2	95.1
	Infant PCR test positive around 10 weeks rate	-	-	-	-	-	1.7
<b>Child Health</b>	Child under 5 years diarrhoea case fatality rate	3.8	2.1	3.2	3.4	1.8	3.8
	Child under 5 years pneumonia case fatality rate	2.8	4.4	2.9	2.9	1.3	1.6
	Child under 5 years severe acute malnutrition case fatality rate	10.9	8.4	11.8	10.9	8.3	5.1
	Infant exclusively breastfed at DTaP-IPV-Hib-HBV 3rd dose rate	-	-	-	62.9	47.4	55.0
<b>School Health</b>	School Grade 1 screening coverage	-	-	-	11.3	12.9	14.5
	School Grade 8 screening coverage	-	-	-	-	-	8.5
<b>Immunisation</b>	Immunisation coverage under 1 year	88.5	86.6	-	85.4	83.3	79.9
	Measles 2nd dose coverage	83.1	77.2	-	77.1	76.9	96.6
<b>Reproductive Health</b>	Cervical cancer screening coverage	30.7	30.1	-	30.0	34.8	42.1
	Couple year protection rate (WHO)	-	-	-	52.6	47.3	48.1
<b>TB Case finding</b>	TB Rifampicin resistance confirmed client rate	6.6	5.5	5.6	5.0	5.3	5.5
	TB client initiated on treatment rate	-	-	-	-	-	56.4
	TB Rifampicin resistant clients treatment initiation rate	-	-	-	-	-	79.2
	TB symptom 5 years and older screened in facility rate	-	-	-	-	-	18.6
<b>TB/HIV</b>	TB/HIV co-infected client on ART rate (ETR.Net)	34.7	63.5	73.9	90.1	93.0	90.4
<b>TB treatment outcomes</b>	TB client lost to follow up rate	7.4	7.7	7.9	7.6	8.0	-
	TB death rate	11.7	10.3	9.0	7.8	7.7	-
	TB client treatment success rate	72.3	74.1	71.8	71.2	71.8	-
<b>TBDR treatment outcomes</b>	TB DR client death rate (EDRWeb)	-	-	23.5	33.1	-	-
	TB DR client loss to follow up rate (EDRWeb)	-	-	27.8	20.5	-	-
	TB DR treatment success rate (EDRWeb)	-	-	39.0	20.8	-	-
<b>HIV</b>	HIV testing coverage (including ANC)	-	-	24.1	29.5	30.3	33.9
	Male condom distribution coverage	8.5	8.2	11.5	20.3	20.6	21.5
<b>NCDs</b>	Diabetes incidence	-	-	3.9	3.9	1.4	1.5
	Hypertension incidence	22.3	19.5	18.7	17.7	16.0	21.0
<b>Burden of disease</b>	Percentage of YLLs due to non-communicable diseases	24.0	18.9	19.5	19.2	-	-
	Percentage of deaths garbage codes	12.9	12.1	10.6	9.9	-	-
	Percentage of YLLs due to HIV and TB	27.5	30.1	30.1	28.4	-	-
	Percentage of deaths ill-defined	21.2	15.4	13.0	10.1	-	-
	Percentage of YLLs due to injuries	10.8	13.6	14.0	14.0	-	-
	Percentage of YLLs due to non-communicable diseases	37.7	37.4	36.4	38.3	-	-

## Section B: National, Provincial and District Profiles

### North West

Category	Indicator	2011	2012	2013	2014	2015	2016
<b>Finance</b>	Provincial and LG District Health Services expenditure per capita (uninsured)	1 421	1 487	1 560	1 563	1 545	1 551
	Provincial and LG PHC expenditure per capita (uninsured)	911	956	1 018	1 030	1 036	1 064
	Provincial and LG PHC expenditure per PHC headcount	351	374	396	390	404	434
<b>PHC Management</b>	Percentage Ideal clinics	-	-	-	-	2.2	29.3
	Percentage of assessed PHC facilities with 90% of tracer medicines available	4.0	3.9	4.1	4.1	4.1	4.1
<b>Management Inpatients</b>	Average length of stay (district hospitals)	3.5	3.7	3.9	4.7	4.6	4.7
	Inpatient crude death rate	5.6	6.5	6.4	6.6	6.5	6.2
	Expenditure per patient day equivalent (district hospitals)	2 472	2 552	2 612	2 544	2 525	2 488
	OPD new client not referred rate (district hospitals)	28.6	45.0	45.9	47.9	44.5	56.4
	Inpatient bed utilisation rate (district hospitals)	59.8	60.2	61.4	64.2	64.0	65.8
<b>Delivery</b>	Delivery in facility under 18 years rate	7.2	7.2	7.0	6.9	6.3	6.5
	Inpatient early neonatal death rate	11.2	10.4	9.5	10.8	9.8	10.0
	Maternal mortality in facility ratio	189.7	166.6	184.9	167.1	148.1	138.9
	Mother postnatal visit within 6 days rate	76.4	78.9	74.0	74.7	69.4	74.4
<b>PMTCT</b>	Antenatal 1st visit before 20 weeks rate	42.3	44.1	50.6	54.3	60.7	63.7
	Antenatal client initiated on ART rate	72.8	74.7	79.2	90.2	86.9	95.9
	Infant PCR test positive around 10 weeks rate	-	-	-	-	-	1.5
<b>Child Health</b>	Child under 5 years diarrhoea case fatality rate	4.9	5.8	4.8	3.4	4.0	3.2
	Child under 5 years pneumonia case fatality rate	5.0	5.1	4.8	3.6	3.1	2.5
	Child under 5 years severe acute malnutrition case fatality rate	11.1	11.2	11.6	12.3	12.3	10.6
	Infant exclusively breastfed at DTaP-IPV-Hib-HBV 3rd dose rate	-	-	-	58.6	34.3	45.5
<b>School Health</b>	School Grade 1 screening coverage	-	-	20.2	38.2	53.0	53.1
	School Grade 8 screening coverage	-	-	-	-	-	38.7
<b>Immunisation</b>	Immunisation coverage under 1 year	68.2	72.4	74.2	82.1	83.2	73.7
	Measles 2nd dose coverage	74.1	62.9	66.3	77.7	76.0	83.0
<b>Reproductive Health</b>	Cervical cancer screening coverage	46.8	46.5	59.6	65.8	66.1	69.3
	Couple year protection rate (WHO)	-	-	-	56.8	46.1	60.2
<b>TB Case finding</b>	TB Rifampicin resistance confirmed client rate	8.0	7.1	5.4	5.2	4.8	5.1
	TB client initiated on treatment rate	-	-	-	-	-	47.4
	TB Rifampicin resistant clients treatment initiation rate	-	-	-	-	-	80.6
	TB symptom 5 years and older screened in facility rate	-	-	-	-	-	42.4
<b>TB/HIV</b>	TB/HIV co-infected client on ART rate (ETR.Net)	29.4	63.2	69.1	81.1	85.7	82.9
<b>TB treatment outcomes</b>	TB client lost to follow up rate	8.0	7.6	7.3	6.8	6.3	-
	TB death rate	11.2	11.8	10.2	10.1	9.0	-
	TB client treatment success rate	67.8	66.4	65.8	70.2	69.0	-
<b>TBDR treatment outcomes</b>	TB DR client death rate (EDRWeb)	-	-	18.4	25.3	-	-
	TB DR client loss to follow up rate (EDRWeb)	-	-	14.8	10.9	-	-
	TB DR treatment success rate (EDRWeb)	-	-	60.2	58.4	-	-
<b>HIV</b>	HIV testing coverage (including ANC)	-	-	33.4	35.2	29.7	31.9
	Male condom distribution coverage	6.9	17.0	22.3	28.1	23.8	36.6
<b>NCDs</b>	Diabetes incidence	-	-	1.2	1.0	1.6	1.4
	Hypertension incidence	17.6	15.2	16.8	13.9	16.0	16.0
<b>Burden of disease</b>	Percentage of YLLs due to non-communicable diseases	29.5	26.4	27.2	26.1	-	-
	Percentage of deaths garbage codes	14.0	14.7	14.0	14.1	-	-
	Percentage of YLLs due to HIV and TB	29.5	29.9	28.1	28.2	-	-
	Percentage of deaths ill-defined	14.3	14.3	14.4	15.7	-	-
	Percentage of YLLs due to injuries	9.1	10.2	10.4	10.2	-	-
	Percentage of YLLs due to non-communicable diseases	32.0	33.5	34.4	35.5	-	-

## Western Cape

Category	Indicator	2011	2012	2013	2014	2015	2016
<b>Finance</b>	Provincial and LG District Health Services expenditure per capita (uninsured)	1 505	1 532	1 551	1 659	1 692	1 742
	Provincial and LG PHC expenditure per capita (uninsured)	951	925	938	1 006	1 038	1 089
	Provincial and LG PHC expenditure per PHC headcount	279	290	311	341	361	379
<b>PHC Management</b>	Percentage Ideal clinics	-	-	-	-	0	15.2
	Percentage of assessed PHC facilities with 90% of tracer medicines available	4.5	4.2	4.0	4.0	4.0	4.2
<b>Management Inpatients</b>	Average length of stay (district hospitals)	3.1	3.2	3.7	3.8	3.3	3.2
	Inpatient crude death rate	2.8	3.7	3.1	3.1	2.9	2.9
	Expenditure per patient day equivalent (district hospitals)	1 981	2 043	2 060	2 128	2 213	2 307
	OPD new client not referred rate (district hospitals)	-	-	40.2	29.5	21.2	18.2
	Inpatient bed utilisation rate (district hospitals)	84.7	87.6	88.7	89.3	87.5	84.8
<b>Delivery</b>	Delivery in facility under 18 years rate	6.7	6.5	6.3	6.1	5.5	5.7
	Inpatient early neonatal death rate	5.1	6.2	4.8	5.3	7.3	7.1
	Maternal mortality in facility ratio	28.6	8.7	68.6	54.4	69.6	59.9
	Mother postnatal visit within 6 days rate	-	-	82.8	100.5	67.8	60.0
<b>PMTCT</b>	Antenatal 1st visit before 20 weeks rate	56.2	58.2	61.0	65.8	67.7	69.6
	Antenatal client initiated on ART rate	97.0	94.2	68.5	82.8	77.5	90.8
	Infant PCR test positive around 10 weeks rate	-	-	-	-	-	0.8
<b>Child Health</b>	Child under 5 years diarrhoea case fatality rate	0.2	0.1	0.2	0.2	0.1	0.3
	Child under 5 years pneumonia case fatality rate	0.5	-	0.4	0.4	0.3	0.4
	Child under 5 years severe acute malnutrition case fatality rate	3.9	-	2.2	1.8	0.9	0.6
	Infant exclusively breastfed at DTaP-IPV-Hib-HBV 3rd dose rate	-	-	-	24.7	27.2	31.8
<b>School Health</b>	School Grade 1 screening coverage	-	-	0.0	36.6	52.1	52.9
	School Grade 8 screening coverage	-	-	-	-	-	12.6
<b>Immunisation</b>	Immunisation coverage under 1 year	86.2	-	84.9	90.9	89.3	80.0
	Measles 2nd dose coverage	77.0	-	71.2	76.3	86.2	91.2
<b>Reproductive Health</b>	Cervical cancer screening coverage	57.5	54.5	57.2	56.8	54.0	54.5
	Couple year protection rate (WHO)	-	-	-	84.0	80.0	78.0
<b>TB Case finding</b>	TB Rifampicin resistance confirmed client rate	4.7	5.1	5.0	5.2	5.0	5.0
	TB client initiated on treatment rate	-	-	-	-	-	85.7
	TB Rifampicin resistant clients treatment initiation rate	-	-	-	-	-	69.1
	TB symptom 5 years and older screened in facility rate	-	-	-	-	-	-
<b>TB/HIV</b>	TB/HIV co-infected client on ART rate (ETR.Net)	42.6	69.8	77.8	84.9	89.6	74.6
<b>TB treatment outcomes</b>	TB client lost to follow up rate	8.4	9.2	8.6	9.5	10.5	-
	TB death rate	4.2	4.3	3.8	3.6	3.9	-
	TB client treatment success rate	81.5	81.5	82.6	81.8	80.4	-
<b>TBDR treatment outcomes</b>	TB DR client death rate (EDRWeb)	-	-	17.8	17.8	-	-
	TB DR client loss to follow up rate (EDRWeb)	-	-	30.1	30.3	-	-
	TB DR treatment success rate (EDRWeb)	-	-	43.5	41.5	-	-
<b>HIV</b>	HIV testing coverage (including ANC)	-	-	9.1	31.9	35.3	30.9
	Male condom distribution coverage	43.9	53.8	58.6	55.3	49.9	48.5
<b>NCDs</b>	Diabetes incidence	-	-	1.3	1.1	1.0	1.1
	Hypertension incidence	17.7	11.8	9.1	7.4	6.9	7.6
<b>Burden of disease</b>	Percentage of YLLs due to non-communicable diseases	11.6	10.9	10.7	10.7	-	-
	Percentage of deaths garbage codes	12.4	12.4	12.5	12.2	-	-
	Percentage of YLLs due to HIV and TB	22.9	21.9	20.3	19.6	-	-
	Percentage of deaths ill-defined	8.2	7.7	7.1	6.9	-	-
	Percentage of YLLs due to injuries	16.1	16.6	18.0	19.0	-	-
	Percentage of YLLs due to non-communicable diseases	49.5	50.7	51.0	50.7	-	-

