

# 15 Mpumalanga Province

## Gert Sibande District Municipality (DC30)

The Gert Sibande District Municipality<sup>a</sup> is a Category C municipality located in the Mpumalanga Province and borders eSwatini. It comprises seven local municipalities: Govan Mbeki, Chief Albert Luthuli, Msukaligwa, Dipaleseng, Mkhondo, Lekwa and Dr Pixley Ka Seme.


**Cities/Towns:** Amersfoort, Amsterdam, Balfour, Bethal, Breyten, Carolina, Charl Cilliers, Chrissiesmeer, Davel, Ekulindeni, Embalenhle, Empuluzi, Ermelo, Evander, Greylingstad, Grootvlei, Kinross, Leandra, Lothair, Morgenzon, Perdekop, Secunda, Standerton, Trichardt, Volksrust, Wakkerstroom, eManzana, eMkhondo (Piet Retief)

**Area:** 31 841km<sup>2</sup>

**Population (2019)<sup>b</sup>:** 1 215 273

### District percentage population by age-gender group compared to South Africa

MP, G Sibande DM (DC30)



### Burden of disease profile


For the percentage of deaths by broad cause, deaths are classified into four groups, namely: (i) injuries; (ii) non-communicable diseases; (iii) HIV and TB; and (iv) communicable diseases together with maternal, perinatal and nutritional conditions. Data are given by gender and age group for the period 2012–2017. The second part of the graph shows the 10 leading single causes of death within each age group and by gender for 2012–2017.

a Available from: <https://municipalities.co.za/overview/132/gert-sibande-district-municipality>.


b Mid-year Population Estimates 2019, Stats SA.

Percentage of deaths by broad cause and leading causes, 2012–2017



MP, G Sibande DM: DC30, 2012 - 2017




Percentage of deaths by broad causes and single leading causes




Percentages are shown according to all the deaths within the age/gender category of each box, although only the leading 10 causes are displayed.



Annual trends, 2015/16–2019/20



## Section B: Profile Mpumalanga Province



## Nkangala District Municipality (DC31)

The Nkangala District Municipality<sup>c</sup> is a Category C municipality in the Mpumalanga Province. It is the smallest district of the three in the province, and consists of six local municipalities: Victor Khanye, Emalahleni, Steve Tshwete, Emakhazeni, Thembisile Hani, and Dr JS Moroka.


**Cities/Towns:** Delmas, Dullstroom, Emgwenya (Waterval Boven), Hendrina, Kriel, KwaMhlanga, Mdala Nature Reserve, Middelburg, Ogies, Phola, Pullens Hope, Rietkuil, eMakhazeni, eMalahleni, eNtokozweni (Machadodorp)

**Area:** 16 758km<sup>2</sup>

**Population (2019)<sup>d</sup>:** 1 562 174

### District percentage population by age-gender group compared to South Africa

MP, Nkangala DM (DC31)



### Burden of disease profile

For the percentage of deaths by broad cause, deaths are classified into four groups, namely: (i) injuries; (ii) non-communicable diseases; (iii) HIV and TB; and (iv) communicable diseases together with maternal, perinatal and nutritional conditions. Data are given by gender and age group for the period 2012–2017. The second part of the graph shows the 10 leading single causes of death within each age group and by gender for 2012–2017.

<sup>c</sup> Available from: <https://municipalities.co.za/overview/133/nkangala-district-municipality>.

<sup>d</sup> Mid-year Population Estimates 2019, Stats SA.

Percentage of deaths by broad cause and leading causes, 2012–2017

MP, Nkangala DM: DC31, 2012 - 2017

AgeGrp	Female				Male			
<5 years	72%	7%	13%	8%	70%	6%	14%	10%
5-14	32%	19%	22%	26%	27%	19%	21%	33%
15-24	20%	35%	24%	21%	12%	13%	15%	60%
25-64	19%	33%	41%	7%	16%	28%	35%	21%
65+	16%	4%	79%	2%	15%	7%	74%	4%
Total	22%	21%	51%	6%	20%	20%	42%	18%

Percentage of deaths by broad causes and single leading causes

**Broadcause**  
■ Injury  
■ NCD  
■ HIV and TB  
■ Comm\_mat\_peri\_nut


**Prov, District**  
 MP, Nkangala DM: DC31  
 Show history

Percentages are shown according to all the deaths within the age/gender category of each box, although only the leading 10 causes are displayed.


Rank	Female		Male	
<5 years	1	Lower respiratory infections (21.9%)	1	Lower respiratory infections (20.7%)
	2	Diarrhoeal diseases (17.7%)	2	Diarrhoeal diseases (17.4%)
	3	Preterm birth complications (12.6%)	3	Preterm birth complications (12.2%)
	4	Birth asphyxia (7.5%)	4	Birth asphyxia (6.7%)
	5	HIV/AIDS (5.6%)	5	HIV/AIDS (4.5%)
	6	Protein-energy malnutrition (3.9%)	6	Protein-energy malnutrition (3.5%)
	7	Sepsis/other newborn infectious (3.6%)	7	Sepsis/other newborn infectious (3.2%)
	8	Other perinatal conditions (2.9%)	8	Poisonings (including herbal) (3.1%)
	9	Poisonings (including herbal) (2.4%)	9	Accidental threats to breathing (3.1%)
	10	Other congenital abnormalities (1.7%)	10	Other perinatal conditions (2.9%)
5-14	1	Lower respiratory infections (18.3%)	1	HIV/AIDS (12.5%)
	2	HIV/AIDS (12.8%)	2	Lower respiratory infections (11.8%)
	3	Diarrhoeal diseases (10.1%)	3	Drowning (8.5%)
	4	Tuberculosis (8.9%)	4	Tuberculosis (8.2%)
	5	Road injuries (7.2%)	5	Diarrhoeal diseases (7.7%)
	6	Drowning (6.1%)	6	Adverse effects medical/surgical (6.1%)
	7	Epilepsy (3.7%)	7	Road injuries (5.5%)
	8	Accidental threats to breathing (3.7%)	8	Fires, hot substances (5.1%)
	9	Fires, hot substances (3.5%)	9	Asthma (4.0%)
	10	Meningitis/encephalitis (3.3%)	10	Accidental threats to breathing (3.5%)
15-24	1	HIV/AIDS (23.5%)	1	Accidental threats to breathing (14.7%)
	2	Tuberculosis (12.7%)	2	Road injuries (11.7%)
	3	Lower respiratory infections (11.9%)	3	Mechanical forces (8.4%)
	4	Road injuries (6.3%)	4	Lower respiratory infections (7.3%)
	5	Mechanical forces (3.5%)	5	HIV/AIDS (6.8%)
	6	Endocrine nutritional,blood, immune (3.4%)	6	Interpersonal violence (6.6%)
	7	Adverse effects medical/surgical (2.9%)	7	Tuberculosis (6.5%)
	8	Diarrhoeal diseases (2.6%)	8	Fires, hot substances (6.4%)
	9	Ischaemic heart disease (2.5%)	9	Poisonings (including herbal) (3.1%)
	10	Epilepsy (2.3%)	10	Exposure to natural forces (2.5%)
25-64	1	HIV/AIDS (21.5%)	1	HIV/AIDS (14.7%)
	2	Lower respiratory infections (12.4%)	2	Tuberculosis (13.4%)
	3	Tuberculosis (11.7%)	3	Lower respiratory infections (11.1%)
	4	Hypertensive heart disease (6.2%)	4	Road injuries (6.5%)
	5	Cerebrovascular disease (5.3%)	5	Ischaemic heart disease (4.8%)
	6	Diabetes mellitus (5.1%)	6	Hypertensive heart disease (4.5%)
	7	Ischaemic heart disease (3.1%)	7	Cerebrovascular disease (4.1%)
	8	Diarrhoeal diseases (3.0%)	8	Accidental threats to breathing (3.4%)
	9	Endocrine nutritional,blood, immune (3.0%)	9	Diabetes mellitus (2.9%)
	10	Cervix (2.2%)	10	COPD (2.7%)
65+	1	Hypertensive heart disease (25.3%)	1	Hypertensive heart disease (17.3%)
	2	Cerebrovascular disease (13.8%)	2	Cerebrovascular disease (11.6%)
	3	Lower respiratory infections (10.4%)	3	Lower respiratory infections (11.4%)
	4	Diabetes mellitus (9.7%)	4	Ischaemic heart disease (7.8%)
	5	Ischaemic heart disease (7.1%)	5	Diabetes mellitus (7.0%)
	6	Diarrhoeal diseases (2.7%)	6	Tuberculosis (5.1%)
	7	Nephritis/nephrosis (2.5%)	7	COPD (4.9%)
	8	COPD (2.5%)	8	Prostate (3.4%)
	9	Septicaemia (2.2%)	9	Nephritis/nephrosis (2.8%)
	10	Tuberculosis (2.0%)	10	Diarrhoeal diseases (2.0%)

Rank	Maternal conditions	All other causes
1	Hypertension in pregnancy (30.2%) n=50	HIV/AIDS (27.5%) n=2 855
2	Indirect maternal (27.0%) n=45	Tuberculosis (14.8%) n=1 537
3	Other maternal (17.0%) n=28	Lower respiratory infections (14.1%) n=1 466
4	Abortion (12.6%) n=21	Endocrine nutritional,blood, immune (3.3%) n=346
5	Maternal haemorrhage (11.2%) n=19	Diarrhoeal diseases (3.2%) n=330
6	Maternal sepsis (2.1%) n=3	Hypertensive heart disease (2.6%) n=265
7		Cerebrovascular disease (2.5%) n=262
8		Diabetes mellitus (2.4%) n=246
9		Road injuries (2.2%) n=233
10		Ischaemic heart disease (2.1%) n=215

Annual trends, 2015/16–2019/20



## Section B: Profile Mpumalanga Province





## Ehlanzeni District Municipality (DC32)

The Ehlanzeni District Municipality<sup>e</sup> is a Category C municipality situated in the north-east of the Mpumalanga Province. The district comprises four local municipalities: Bushbuckridge, City of Mbombela, Nkomazi and Thaba Chweu.


Cities/Towns: Barberton, Emoyeni, Entokozweni, Graskop, Hazyview, Kaapschehoop, Kabokweni, Kanyamazane, Komatipoort, Luphisi, Lydenburg, Malalane, Marloth Park, Mashishing, Matsulu, Mbombela, Mpakeni, Msogwaba, Ngodwana, Pilgrim’s Rest, Sabie, Sabie Park, Skukuza, Tekwane, White River

Area: 27 896km<sup>2</sup>

Population (2019)<sup>f</sup>: 1 743 182

### District percentage population by age-gender group compared to South Africa

MP, Ehlanzeni DM (DC32)



### Burden of disease profile


For the percentage of deaths by broad cause, deaths are classified into four groups, namely: (i) injuries; (ii) non-communicable diseases; (iii) HIV and TB; and (iv) communicable diseases together with maternal, perinatal and nutritional conditions. Data are given by gender and age group for the period 2012–2017. The second part of the graph shows the 10 leading single causes of death within each age group and by gender for 2012–2017.

e Available from: <https://municipalities.co.za/overview/131/ehlanzeni-district-municipality>.


f Mid-year Population Estimates 2019, Stats SA.

Percentage of deaths by broad cause and leading causes, 2012–2017



MP, Ehlanzeni DM: DC32, 2012 - 2017




Percentage of deaths by broad causes and single leading causes



Percentages are shown according to all the deaths within the age/gender category of each box, although only the leading 10 causes are displayed.



Annual trends, 2015/16–2019/20



## Section B: Profile Mpumalanga Province

