

Table of Contents

List of Abbreviations	i
Foreword	ii
Introduction and Overview	iii
Part A: Indicator Comparisons per programme by District	1
1 Finance	1
1.1 PHC expenditure per capita (uninsured person)	1
1.2 Total district per capita expenditure on District Health Services (uninsured)	3
1.3 Expenditure per PHC headcount	5
1.4 Proportion of district health services expenditure spent on District Management	7
1.5 Proportion of district health services expenditure spent on District Hospitals	9
1.6 Proportion of district health services expenditure spent on PHC	11
2. Management	14
2.1 Utilisation rate – PHC	14
2.2 Utilisation rate under 5 years – PHC	18
2.3 PHC fixed facility supervisory rate	22
3 Hospital services	26
3.1 Usable bed utilisation rate	26
3.2 Average length of stay	29
3.3 Usable beds per 1 000 uninsured population	32
3.4 Expenditure per patient day equivalent	35
4 Child health	39
4.1 Vitamin A coverage 12 to 59 months	39
4.2 Diarrhoea incidence under 5 years	43
4.3 Stillbirth rate	48
4.4 Early neonatal mortality rate in facility	52
4.5 Facility under-1 mortality rate	56
4.6 Facility under-5 mortality rate	61
5 Immunisation	64
5.1 Immunisation coverage under 1 year	64
5.2 Measles 1st dose under 1 year coverage	68
5.3 Measles 1st to 2nd dose drop-out rate	70
5.4 Rotavirus 2nd dose coverage	72
5.5 Pneumococcal vaccine 3rd dose coverage	74
6 Maternal health	77
6.1 Maternal mortality ratio	77
6.2 Delivery rate in facility under 18 years	82
6.3 Caesarean section rate	86

7	Reproductive health	91
7.1	Male condom distribution rate	91
7.2	Couple year protection rate	96
7.3	Cervical cancer screening coverage	101
7.4	Antenatal visits before 20 weeks rate	105
8	Tuberculosis control	110
8.1	TB two-month smear conversion rate	110
8.2	New smear-positive TB cure rate	113
8.3	New smear positive TB defaulter rate	116
9	HIV and AIDS	120
9.1	HIV testing rate (excluding antenatal)	120
9.2	Antenatal client HIV 1st test rate	122
9.3	Antenatal client HIV 1st test positive rate	124
9.4	HIV prevalence among antenatal clients tested	126
9.5	Antenatal client initiated on HAART rate	127
9.6	Baby initiated on HAART under 18 months rate	129
9.7	Early infant HIV diagnosis coverage/Baby PCR test around 6 weeks uptake rate	132
9.8	Proportion of PCR tests HIV positive for infants under two months of age/ Baby tested PCR positive six weeks after birth as a proportion of babies tested at six weeks	136
10	Chronic Care / Mental Health	141
10.1	Hypertension detection rate	141
10.2	Mental health case load	147
11	Burden of disease	152
Section B: National, Province and District Profiles		169
Map of 52 districts in South Africa as per 2011 demarcation		172
12	South Africa	173
13	Eastern Cape Province	189
14	Free State Province	229
15	Gauteng Province	254
16	KwaZulu-Natal Province	279
17	Limpopo Province	334
18	Mpumalanga Province	359
19	Northern Cape Province	374
20	North West Province	399
21	Western Cape Province	419
Appendix 1		449
Definitions and Sources		449

List of Abbreviations

AIDS	Acquired Immune Deficiency Syndrome	LP	Limpopo Province
ALOS	Average Length of Stay	MDG	Millennium Development Goal
ANC	Antenatal Care	MDR-TB	Multidrug-resistant Tuberculosis
ART	Antiretroviral Therapy	MP	Mpumalanga
ATTIC	Aids Training, Information and Counselling Centre	MRC	Medical Research Council
AZT	Zidovudine	MTCT	Mother- to-Child Transmission
BAS	Basic Accounting System	NBD	National Burden of Disease
BCG	Bacille Calmette-Guérin (Vaccine)	NC	Northern Cape
BUR	Bed Utilisation Rate	NCCEMD	Committee on Confidential Enquiries into Maternal Deaths
C-section	Caesarean Section	NDoH	National Department of Health
CHC	Community Health Centre	NHLS	National Health Laboratory Service
CI	Confidence Interval	NICD	National Institute for Communicable Diseases
CPIX	Consumer Price Index (excluding interest rates on mortgage bonds)	NSDA	Negotiated Service Delivery Agreement
CS	Community Survey	NSP	National Strategic Plan
DHB	District Health Barometer	NW	North West
DSHR	District Health Expenditure Review	OPV	Oral Polio Vaccine
DHIS	District Health Information System	PCA	Principal Component Analysis
DHS	District Health Services	PCE	Per Capita Expenditure
DI	Deprivation Index	PCR	Polymerase Chain Reaction
DM	District Municipality	PDE	Patient Day Equivalent
DoH	Department of Health	PHC	Primary Health Care
DWA	Department of Water Affairs	PPIP	Perinatal Problem Identification Programme
DWQM	Drinking Water Quality Management	PMTCT	Prevention of Mother-To-Child Transmission (of HIV)
EC	Eastern Cape	PNMR	Perinatal Mortality Rate
EID	Early Infant Diagnosis	PR	Programme
EPI-SA	Expanded Programme on Immunisation in South Africa	PTB	Pulmonary Tuberculosis
FCDR	Facility Crude Death Rate	PVC	Pneumococcal Vaccine
FS	Free State	RV	Rotavirus
GHS	General Household Survey	SAHR	South African Health Review
GIS	Geographic Information System	SAIMD	South African Index of Multiple Deprivation
GP	Gauteng Province	SBR	Stillbirth Rate
HAART	Highly Active Antiretroviral Therapy	SCR	Smear Conversion Rate
HAST	HIV, AIDS, STIs and TB	SEQ	Socio-economic Quintile
HCT	HIV Counselling and Testing	StatsSA	Statistics South Africa
Hep B	Hepatitis B	STI	Sexually Transmitted Infection
HIV	Human Immunodeficiency Virus	TB	Tuberculosis
HMIS	Health Management Information System	ToP	Termination of Pregnancy
HSRC	Human Sciences Research Council	TOPV	Trivalent Oral Polio Vaccine
ICD	International Classification of Diseases	UKZN	University of KwaZulu-Natal
ISRDP	Integrated, Sustainable, Rural Development Programme	WC	Western Cape
IUCD	Intra Uterine Contraceptive Device	WHO	World Health Organization
KZN	KwaZulu-Natal	XDR -TB	Extensively Drug-resistant Tuberculosis
LG	Local Government	YYLs	Years of Life Lost